




Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



Universal Inline Water Filter Design



Universal Inline Water Filters

Supco No.	Filter Media	Capacity Gallons	Capacity Pounds	Max. Flow Gals./Min.	Length	Diameter	Compression Fitting	Taste / Odor	Scale / Lime	Max PSI	Max Temp
WF270	Carbon	1,000	8,000	1	6 3/8"	1 5/8"	1/4"	Yes	No	125	100°F
WF271	Carbon	4,000	32,000	1	10"	2 1/4"	1/4"	Yes	No	125	100°F

These universal inline water filters are an excellent choice for icemakers, coffee makers, and water dispensers. Used for residential and light commercial applications. Removes sediment, chlorine taste, and odor from water. Operates on as little as 20 PSI pressure and filters to 20 microns.

WF270 & WF271 replace these filters:

AEG ®	DD7098	General Electric ®	AP717	Maytag ®	18001001
Amana ®	R0183114		AP717-10		18001009
Aqua Pure ®	GAC1-L		AP717DS		18001010
ATAG ®	88009234		WR97X180		19950157
Bauknecht ®	DD7098		WR97X214		19950158
Bosch ®	DD7098		WR97X214A	Miele ®	3019974800
Culligan ®	IC100		WR97X214R	Pozzani ®	GS10J
Daewoo ®	DD7098		WR97X215		WSF100
Electrolux ®	25004006		WR97X215A	Samsung ®	DA29-10105C
	25004018		WR97X215R		DA29-10105E
	25004022	Hanseatic ®	DD7098		DA29-10105J
	25004082	LG ®	5231JA2003B		EF9603
	5303310266		5231JA2012A	Thermador ®	DD7098
	5303917335		BL9808	Whirlpool ®	4392949
	S5303310266	Liebherr ®	DD7098		4392949R

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

644845 Genuine Bosch® Replacement Water Filter



The Bosch® 644845 Refrigerator Water Filter, also known as the Bosch® Ultra Clarity Refrigerator Filter, is an internal water filter that channels clean and better tasting ice and water through your Bosch® refrigerator. The Bosch® 644845 refrigerator filter replacement is used primarily to reduce the bad taste and odor of chlorine. This Bosch® refrigerator filter is also known as the Bosch® REPLFLTR10 filter.

The Bosch® 644845 is the replacement refrigerator filter for various American model Bosch® refrigerators which use the Bosch® EVOLFLTR10 filter system including the Bosch® Evolution 500 Series, Bosch® 800 Series, and the Bosch® KAD62 Series. It will also fit certain other models including the Siemens® KA62 Series, Neff® K5930 Series, and Neff® K5920 series. Replaces Cuno® 9000 077095, 9000 077096, 9000 077104, 9000 194412, 101443 0109, 101732 0109, BT644845.

Bosch® 644845 Water Filter Specifications:

Temp. Range: 33 - 100 F
 Press. Range: 25 - 125 PSI
 Flow Rate: About 0.5 gallons per minute
 Filter Life: About 6 months or 400 gallons

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh® is using advanced carbon block technology to bring you the very best water filtration. Aqua Fresh® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF® certification.



Sealed Units Parts Co.Inc.

www.supco.com

info@supco.com



WF283 Direct Replacement Water Filter



Replaces most 1/4" inline filters including:

AEG ®	DD7098	Maytag ®	18001001
Amana ®	R0183114		18001009
Daewoo ®	DD7098		18001010
Electrolux ®	25004006		14200105
	25004018	Samsung ®	DA29-10105C
	25004022		DA29-10105E
	25004082		DA29-10105J
	5303310266		EF9603
	5303917335	Thermador ®	DD7098
	S5303310266	Whirlpool ®	4378411RB
General Electric ®	AP717		4210359
	WR97X180		4210508
	WR97X214		4210573
	WR97X215		4378411
LG®	5231JA2003A		4378442
	5231JA2003B		4392949R
	5231JA2012A		8004

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace.

These universal inline water filters are an excellent choice for icemakers, coffee makers, and water dispensers. Used for residential and light commercial applications. Removes rust, sediment, chlorine taste, and odor from water. Operates on as little as 20 PSI pressure. Similar to the WF271 inline filter, the WF283 uses a super compacted activated carbon media that filters to 5 microns. There is 150% more carbon media in a WF283 than a standard 10" water filter. This combined with a push in .250 inch connection makes this high quality inline filter your best choice. Replace annually or every 1500 gallons.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh ® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF ® certification.

WF284 Direct Replacement Water Filter



Replaces both Blue and White endcap models, Part Numbers:

Frigidaire ® (Electrolux ®)
 218710901, 218710902, 218717805, 218732306, 218904501, 218904602, 218907800,
 240389101, 240389102, 240394501, 5303917752, 5303917836, 5303917937,
 5303918017, SWFB, SWF1CB, SWFCB, WFB, WF1CB, WFCB, WFCB12, WFCB18,
 WFCB20
 Hoover ® 09183849
 PureSourcePlus ®
 NGRG-100, NGRG-2000, RC101, RC200, RF200, RF10, RF100, RG100, RC101,
 RC200, RF200, RF10, RF100,
 Kenmore ® (Sears ®)
 46-9910, 46-9906, 9910P, 9906P, 046991000, 0469906000

The filter cartridge sits inside of a white plastic "cup" and you'll need to unscrew the cup before you can see the filter

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh ® Water filter is 100% tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh ® is using advanced carbon block technology to bring you the very best water filtration.

Aqua Fresh ® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF ® certification.



Sealed Units Parts Co.Inc.

www.supco.com

info@supco.com



WF285 Direct Replacement Water Filter



Replaces Part Numbers: Brita® WPRF-100

Kenmore® Sears® 46-9010, 46-9908, 46-9902, 9010P, 9908, 9908P, 9902, 9902P, 0460901000, 04609902000, 04609908000

KitchenAid® 4396547, 4396548, 4396163, 4396164, 4396918, 2203221, 2255709

Thermador® 491849

Whirlpool®

8212652, 821491, 2186444, 2200203, 2203220, 22033980, 2255518, 2255520, 2305766, 2305767, 2305768, 4392857, 4392857R, 4392922, 4396501, 4396508, 4396508P, 4396510, 4396510P, 4396562, 4396563, 4396918, WF-L400, WFL400, L400, WF-L400V, WFL400V, L400V, WF-L500, WFL500, L500, WFLC400, WFLC400, LC400, WF-LC400V, WFLC400V, LC400V, WF-LC500, WFLC500, LC500, WF-NL250, WFNL250, NL250, WF-NL250V, WFNL250V, NL250V, WF-NL300, WFNL300, NL300

Aqua Fresh® Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh® water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh® is using advanced carbon block technology to bring you the very best water filtration.

Aqua Fresh® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF® certification.

WF286 Direct Replacement Water Filter



Replaces Part Numbers:

Whirlpool®

8171413, 8171413R, 8171414, 8171414R, 2213384, WFI-NLC200, NLC200, WFI-NLCS200, NLCS200

KitchenAid®

8171787, 8171788, 2204236, 2206039, 2213384

Kenmore® Sears®

9002, 469002, 46-9002, 9002P, 04609002000

Aqua Fresh® Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh® water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh® is using advanced carbon block technology to bring you the very best water filtration.

Aqua Fresh® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF® certification.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WF288 Direct Replacement Water Filter



Replaces Part Numbers:

BEKO ®: AP930X

Maytag ®, Admiral ®, Amana ®, and SMEG ®

UKF7003AXX, UKF7003AXXP, UKF7003, UKF7002AXX, UKF7002, 7002,
UKF7001AXX, UKF7001, 7001, UKF6001AXX, UKF6001, 6001, UKF5001AXX,
UKF5001, 5001

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh ® Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

The WF288 is designed to last 25% longer than the OEM version.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

WF289 Direct Replacement Water Filter



Replaces Part Numbers:

Samsung ®

TADA29-00003B, DA29-00003G, DA29-00003A, DA29-00003B,
DA29-00003D, DA29-00003A-B, DA2900003A, DA29-00003

Used on models: DA61-00159, DA61-00159A, DA61-00159A-B

Whirlpool ® / Maytag ®

W10132126

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh ® Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh ® is using advanced carbon block technology to bring you the very best water filtration.

Aqua Fresh ® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF ® certification.



Sealed Units Parts Co.Inc.

www.supco.com
info@supco.com



WF290 Direct Replacement Water Filter



Replaces Part Numbers:

ATAG ® 88009234

CUNO ® LT500P

LG ® / Zenith ®

5231JA2002A, 5231JA2002B, CNZ5231JA2002A, LT500P

5231JA2002A-S, T2004CNZ1648-0019, 1648-0019

Sears ® / Kenmore ® 5231JA2002

LG ® Models: LRSC21935**, LRSPC2031**, LRSPC2041**, LRSPC2051**,
LRSPC2331**, LRSPC2341**, LRSPC2661**, LRSC26905**

** indicates all models in that series.

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh ® Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

WF293 Direct Replacement Water Filter



Replaces Part Numbers:

Estate ® 4396701, 4396703

Kenmore ® Sears ® 46-9915, 4609915000, 9915, 0469915000

KitchenAid ® 4396701, 4396702, 2301705, 2301706

Lowes ® 183592

Whirlpool ®

4396701, 4396702, 2301705, 2301706, WF-NL120V, NL120V, WF120V, WF200V

This is the smaller version for Top Mount applications, approximately 1 1/2" O.D. by 9 1/2" overall length.

Aqua Fresh ® Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh ® water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Part numbers and illustrations are intended solely for identification. Water filters offered are not represented to be manufactured by the original equipment manufacturer. All trademarks and registered trademarks are the property of their respective owners.

Aqua Fresh ® is using advanced carbon block technology to bring you the very best water filtration.

Aqua Fresh ® filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF ® certification.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WPT1000 Digital Water Purity Tester

WPT1000 actual photo




WPT1000 Water Purity Tester

- Checks your water for dissolved solids
- Range is from 0 to 1000
- Backlit Digital Display
- Replaceable battery - 2 extra batteries included
- ON/OFF & Read Button with lock reading feature
- Sensor cover, to protect sensor when not in use
- Works in seconds
- Check your water at home, work or on the road.

How does the WPT1000 work? The WPT1000 senses dissolved solids in water. Well water typically reads over 400. Municipal tap water reads 150 to 400. Bottled water typically reads 150 or less. Almost any activated charcoal water filter will remove taste, odor, cysts, & chlorine. The WPT1000 allows you to check for dissolved solids as well. Chemicals, metals, hydrocarbons and other undesirable items dissolved in your water. Travelling, check the hotel water for bad water. Every glass of water is different. Filtered is best, check the rest!

Protect Your Home

Insurance companies agree that most water damage is caused by water hammer related ruptures.



Water hammer is caused by the rapid closure of a valve that has water flowing. The picture to the left shows how the water is abruptly stopped by the valve causing tremendous surges in water pressure. A standard household line (50 PSI) when stopped suddenly can cause a spike in water pressure from 250 to 400 PSI. Modern icemaker, dishwasher, and washer valves are designed to fill rapidly and shut off abruptly. This causes water hammer. Water hammer can cause dishwasher supply lines to rupture, washer hoses and valves to burst, and can split or rupture a water filter. Have you ever heard a water valve on your dishwasher, washer, or icemaker thump as it closes? All water valves need the protection of a water hammer arrestor.



660-TC0 and 660-TR1



660-H (2 required)

We offer the inline Mini-Rester® for icemakers, dishwashers, and washing machines.

Style	Part No.
Icemaker 1/4 Comp X 1/4 Comp	660-TC0
Icemaker MIP / FSWT W/SS hose	696-1010MFS
Dishwasher 3/8 Comp X 3/8 Comp	660-TR1
Washers	660-H

Listed by UPC/IAPMO to meet UPC-2009

IPC Conforms to IPC-2009



Certified by ASSE to the ANSI/ASSE 1010-2004 Standard



Indicated models comply with CA lead plumbing laws