




Sealed Units Parts Co.Inc.

www.supco.com
info@supco.com



Universal Inline Water Filter Design



Universal Inline Water Filters

Supco No.	Filter Media	Capacity Gallons	Capacity Pounds	Max. Flow Gals./Min.	Length	Diameter	Compression Fitting	Taste / Odor	Scale / Lime	Max PSI	Max Temp
WF270	Carbon	1,000	8,000	1	6 3/8"	1 5/8"	1/4"	Yes	No	125	100°F
WF271	Carbon	4,000	32,000	1	10"	2 1/4"	1/4"	Yes	No	125	100°F

These universal inline water filters are an excellent choice for icemakers, coffee makers, and water dispensers. Used for residential and light commercial applications. Removes sediment, chlorine taste, and odor from water. Operates on as little as 20 PSI pressure and filters to 20 microns.

WF270 & WF271 replace these filters:

AEG™	DD7098	General Electric™	AP717	Maytag™	18001001
Amana™	R0183114		AP717-10		18001009
Aqua Pure™	GAC1-L		AP717DS		18001010
ATAG™	88009234		WR97X180		19950157
Bauknecht™	DD7098		WR97X214		19950158
Bosch™	DD7098		WR97X214A	Miele™	3019974800
Culligan™	IC100		WR97X214R	Pozzani™	GS10J
Daewoo™	DD7098		WR97X215		WSF100
Electrolux™	25004006		WR97X215A	Samsung™	DA29-10105C
	25004018		WR97X215R		DA29-10105E
	25004022	Hanseatic™	DD7098		DA29-10105J
	25004082	LG™	5231JA2003B		EF9603
	5303310266		5231JA2012A	Thermador™	DD7098
	5303917335		BL9808	Whirlpool™	4392949
	S5303310266	Liebherr™	DD7098		4392949R

WF282 Direct Replacement Water Filter



Replaces Part Numbers:

GE™ GSWF

Kenmore™ (Sears™)

46-9914

9914

Fits in these GE models

GTH22 series (31 + models)

GTS18 series (3 + models)

GTS22 series (6 + Models)

PDS20 series (35 + models)

PDS22 series (55 + models)

PTS22 series (22 + models)

PTS25 series (20 + models)

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

WF282 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WF283 Direct Replacement Water Filter



Replaces most 1/4" inline filters including:

AEG™	DD7098	Maytag™	18001001
Amana™	R0183114		18001009
Daewoo™	DD7098		18001010
Electrolux™	25004006	LG™	5231JA2003B
	25004018		5231JA2012A
	25004022	Samsung™	DA29-10105C
	25004082		DA29-10105E
	5303310266		DA29-10105J
	5303917335		EF9603
	S5303310266	Thermador™	DD7098
General Electric™	AP717	Whirlpool™	4210359
	WR97X180		4210508
	WR97X214		4210573
	WR97X215		4378411
LG™	5231JA2003B		4378442
	5231JA2012A		4392949R

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace. Each filter is pressure tested.

These universal inline water filters are an excellent choice for icemakers, coffee makers, and water dispensers. Used for residential and light commercial applications. Removes rust, sediment, chlorine taste, and odor from water. Operates on as little as 20 PSI pressure. Similar to the WF271 inline filter, the WF283 uses a super compacted activated carbon media that filters to 5 microns. There is 150% more carbon media in a WF283 than a standard 10" water filter. This combined with a push in .250 inch connection makes this high quality inline filter your best choice. Replace annually or every 1500 gallons.

Aqua Fresh is using advanced carbon technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.

WF284 Direct Replacement Water Filter



Replaces both Blue and White endcap models, Part Numbers:

Frigidaire™ (Electrolux™)
 218710901, 218710902, 218717805, 218732306, 218904501, 218904602, 218907800,
 240389101, 240389102, 240394501, 5303917752, 5303917836, 5303917937,
 5303918017, SWFB, SWF1CB, SWFCB, WFB, WF1CB, WFCB, WFCB12, WFCB18,
 WFCB20
 Hoover™ 09183849
 PureSourcePlus™
 NGRG-100, NGRG-2000, RC101, RC200, RF200, RF10, RF100, RG100, RC101, RC200,
 RF200, RF10, RF100,
 Kenmore™ (Sears™)
 46-9910, 46-9906, 9910P, 9906P, 046991000, 0469906000

The filter cartridge sits inside of a white plastic "cup" and you'll need to unscrew the cup before you can see the filter

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh Water filter is 100% tested in the OEM receiver that the filter is designed to fit.

WF284 water filters remove the following contaminants:

99.30% of Lead	97.80% of Chlorine
99.99% of Cysts	99.70% of Turbidity
94.90% of Atrazine	97.60% of Particulates (Class I)*
87.50% of Toxaphene	* This filter remove Class I particulates
94.20% of 2,4-D	down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WF285 Direct Replacement Water Filter



Replaces Part Numbers: Brita™ WPRF-100

Kenmore™ Sears™ 46-9010, 46-9908, 46-9902, 9010P, 9908, 9908P, 9902, 9902P, 0460901000, 04609902000, 04609908000

KitchenAid™ 4396547, 4396548, 4396163, 4396164, 4396509, 4396509P, 4396918, 2203221, 2255709

Thermador™ 491849

Whirlpool™

821491, 2186444, 2200203, 2203220, 22033980, 2255518, 2255520, 2305766, 2305767, 2305768, 4392857, 4392857R, 4392922, 4396501, 4396508, 4396508P, 4396510, 4396510P, 4396562, 4396563, 4396918, WF-L400, WFL400, L400, WF-L400V, WFL400V, L400V, WF-L500, WFL500, L500, WF-LC400, WFLC400, LC400, WF-LC400V, WFLC400V, LC400V, WF-LC500, WFLC500, LC500, WF-NL250, WFNL250, NL250, WF-NL250V, WFNL250V, NL250V, WF-NL300, WFNL300, NL300

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace. Each Aqua Fresh water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Contaminants Removed

WF285 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.

WF286 Direct Replacement Water Filter



Replaces Part Numbers:

Whirlpool

8171413, 8171413R, 8171414, 8171414R, 2213384, WFI-NLC200, NLC200, WFI-NLCS200, NLCS200

KitchenAid

8171787, 8171788, 2204236, 2206039, 2213384

Sears / Kenmore

9002, 469002, 46-9002, 9002P, 04609002000

Each Aqua Fresh Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.

WF286 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WF287 Direct Replacement Water Filter



Replaces Part Numbers:

General Electric™ GWF, GWF01, GWF06, MWF, WR02X11020
 Hotpoint™ HWF

If you have the adapter this filter will also replace the Kenmore™ 9905, 46-9905, General Electric™ GWFA, MWFA

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

The WF287 is designed for 600 gallons or 6 months.

Flow rated at .5 gallons per minute at 60 PSI.

WF287 water filters remove the following contaminants:

99.78% of 1,4 dichlorobenzene	97.00% of Chlorine
98.32% of 2, 4-D	99.99% of Cysts
99.34% of Alachlor	99.3% of Lead
99.92% of Asbestos	99% of Lindane
94.22% of Atrazine	94.7% of Mercury
96.51% of Benzene	99.10% of Turbidity
98.78% of Carbofuran	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.

WF288 Direct Replacement Water Filter



Replaces Part Numbers:

BEKO™: AP930X

Maytag™ , Admiral™ , Amana™ , and SMEG™
 UKF7003AXX, UKF7003AXXP, UKF7003, UKF7002AXX, UKF7002, 7002,
 UKF7001AXX, UKF7001, 7001, UKF6001AXX, UKF6001, 6001, UKF5001AXX,
 UKF5001, 5001

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

The WF288 is designed to last 25% longer than the OEM version.

WF288 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.



Sealed Units Parts Co.Inc.
www.supco.com
info@supco.com



WF289 Direct Replacement Water Filter



Replaces Part Numbers:

Samsung
 TADA29-00003B, TADA29-00003A, DA29-00003A, DA29-00003B,
 DA29-00003D, DA29-00003A-B, DA2900003A, DA29-00003
 Used on models: DA61-00159, DA61-00159A, DA61-00159A-B

Whirlpool / Maytag
 W10132126

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

WF289 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.

WF290 Direct Replacement Water Filter



Replaces Part Numbers:

ATAG™ 88009234
CUNO™ LT500P
LG™ / Zenith™
 5231JA2002A, 5231JA2002B, CNZ5231JA2002A, LT500P
 5231JA2002A-S, T2004CNZ1648-0019, 1648-0019
Sears™ / Kenmore™ 5231JA2002

LG™ Models: LRSC21935**, LRSPC2031**, LRSPC2041**, LRSPC2051**, LRSPC2331**, LRSPC2341**, LRSPC2661**, LRSC26905**

** indicates all models in that series.

Aqua Fresh Water Filters are designed to meet or exceed the OEM filter that they replace.

Each Aqua Fresh Water filter is 100% pressure tested in the OEM receiver that the filter is designed to fit.

WF290 water filters remove the following contaminants:

99.30% of Lead at pH 6.5	99.90% of P-Dichlorobenzene
99.90% of Lead at pH 8.5	99.99% of Cysts
94.50% of Mercury at pH 6.5	98.70% of Carbofuran
96.60% of Mercury at pH 8.5	97.00% of Chlorine
99.92% of Asbestos	99.10% of Turbidity
89.60% of Benzene	97.60% of Particulates (Class I)*

* These filters remove Class I particulates down to 0.52 microns.

Aqua Fresh is using advanced carbon block technology to bring you the very best water filtration. Aqua fresh filters are designed to meet or exceed the original filter specifications, we make no health claims or filtration claims pending our NSF certification.